
817 Light Control Module



Overview

The 817 module is a compact optocoupler-based circuit board that integrates the HCPL-817 or A817 phototransistor output chip into a breadboard-friendly SOP4 SMD package with built-in current-limiting resistors and signal conditioning components. An optocoupler (also called an opto-isolator or photocoupler) is a component that transfers an electrical signal between two isolated circuits using light. Inside the package, an infrared LED on the input side shines onto a phototransistor on the output side. The circuit based on the capacitor and resistor always removes the noise from the incoming signal but the value capacitor and resistor always depend on the. Compact 4-channel optocoupler isolation module for voltage-level conversion and signal isolation, selectable input ranges, screw-terminal connections, LED status indicators and optional DIN-rail or bracket mounting.

Article Content

PC817 Optocoupler Module User Guide | Wiring & Setup

Complete PC817 optocoupler isolation module guide. Covers 3.6V–30V wiring, jumper settings, resistor selection, Arduino/ESP32/PLC hookup

Arduino Tutorial: HY-M154 / 817 / PC817 Optocoupler Module

PC817 consists of an LED emitting diode and phototransistor. They are coupled together optically. The Electrical signal transfers between an input and an output

PC817 Optocoupler Isolation Module 4-Channel

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Compact 4-channel optocoupler isolation module for voltage-level conversion and signal isolation, selectable input ranges, screw-terminal connections, LED status

Interfacing PC817 4-Channel Optocoupler Module with

The following circuit shows how you should connect Arduino to PC817 module. Connect wires accordingly.

Everything You Need to Know About the 817 Module for ...

The 817 module is a compact optocoupler-based circuit board that integrates the HCPL-817 or A817 phototransistor output chip into a breadboard-friendly SOP4 SMD package with built-in current

PC817 Optocoupler pinout, working and Example with Arduino

PC817 is an optoisolator consists of an infrared diode and phototransistor pinout, working and Example with Arduino, datasheet, applications and features

What is PC817 Optocoupler : Working & Its Applications

What is PC817 Optocoupler : Working & Its Applications An optocoupler is also called an optoisolator, photo-coupler & optical isolator is one kind of semiconductor device that allows the electrical signal

PC817 Optocoupler: Pinout, Features, and Applications

Discover the PC817 optocoupler: isolate circuits, transfer signals safely. Learn about its pinout, working, and applications.

PC817 IC Pinout, Features, Equivalent & Datasheet

PC817 Photocoupler has a transistor which is controlled based on light (photon). So this IC basically has an IR LED and a photo-transistor inside it

Optocouplers: What they are and how to use PC817 and TLP521 in

The optocoupler isolates electrical signals between circuits by means of internal light. PC817 and TLP521 are key references, used in control, power and isolation. They allow microcontrollers and

How to Use 1CH Optocoupler PC817 1 Channel

1CH Optocoupler PC817 1 Channel Isolation Board Documentation Introduction The PC817 1 Channel Isolation Board is a compact and versatile module designed to

817 optocoupler 2/4/8-way voltage isolation board voltage control ...

Product Name 817 optocoupler Keyword Power Monitoring Sensor Module Shipping By DHLUPSFedexEMSHK PostTNT Payment PaypalTTWestern UnionTrade Assurance

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

PC817 2 Channel Optocoupler Module

PC817 2-Channel Optocoupler Isolation Board. Onboard with 2-Channel 817 are independent, so can achieve different voltage control at the same.

HY-M154/PC817 module not working as expected

The 817 modules will only respond to DC signals, so if you''re interfacing to this using AC, this isn''t going to work. Can you connect an LED

817 Light Coupling 4 channel Voltage Isolation Plate Voltage Transfer ...

In actual work, it is necessary to isolate control, and when the voltage is converted, it will be used to this module. It can realize 3.3V or 5V to control the interface of 3.6---24V voltage level and realize the

817 Optocoupler Isolated Board, Voltage Converter Adapter Module,

817 Optocoupler Isolated Board, Voltage Converter Adapter Module, for Isolation Control and Voltage Conversion Brand: Diydeg 4.5 (5) $1129

PC817 4 Channel Optocoupler Isolation Opto Isolator

2. Output Port Voltage Port:3.6-30V 3. Jumper Cap Can Achieve Output Port Is High POtential Or Pull Down Output 4. Onboard 4-Channel 817

How to Use 817 Module 8 channel: Examples, Pinouts, and Specs

Learn how to use the 817 Module 8 channel with detailed documentation, including pinouts, usage guides, and example projects. Perfect for students, hobbyists, and developers integrating the 817

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Contact Us

Continue your research online:

Website: https://dolphinspreschool.co.za
Technical inquiry: https://dolphinspreschool.co.za/project-desk.html
African project coordination: Waterfall City, Midrand, Gauteng, South Africa

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved