
Core Switch Clos



Overview

Understanding CLOS Networks in Data Centers Instead of scaling up with expensive, chassis-based switches, CLOS networks scale out using smaller, standardiz.

Key Takeaways

A Core Switch Clos architecture is a multistage, nonblocking network design that uses spine (core) and leaf (access) switches to provide scalable, high-performance connectivity.

Overview of Clos Architecture

Clos architecture, named after Charles Clos, is a three-stage switching framework originally developed to reduce the number of crosspoints in telephone networks while maintaining nonblocking communication. In modern networking, it underpins high-performance data center and campus networks, enabling predictable low latency, multiple paths between endpoints, and horizontal scalability. A typical Clos network consists of: Ingress/Leaf switches: Connect directly to servers, storage, or endpoints.

They provide high port density and uplinks to spine switches.

Middle/

Spine switches: Form the core of the network, connecting only to leaf switches. They handle high-speed traffic and support advanced routing protocols like BGP, OSPF, and ECMP. Egress switches: Often integrated with leaf switches in folded Clos designs, completing the multistage path.

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Core Switch Role in Clos

In a Clos network, core switches are implemented as spine switches, providing the backbone connectivity between leaf switches. This design ensures: Nonblocking performance: Multiple paths prevent congestion and allow any-to-any connectivity. Scalability: Adding more spine or leaf switches increases capacity without redesigning the network.

Redundancy and resiliency: Equal-cost multipath routing (ECMP) and multiple uplinks provide fault tolerance.

Modern Implementations

Clos networks are widely used in data centers and large enterprise campuses. Modern implementations often include: Leaf-spine topology: A folded Clos design where leaf switches connect to spine switches, supporting high-speed Ethernet (10/25/100/400G) and virtualization platforms like NSX-T. EVPN-VXLAN overlays: Decouple physical and logical topologies, allowing flexible Layer 2/Layer 3 connectivity and simplified network management.

MC-LAG (Multi-Chassis Link Aggregation): Provides active/backup resiliency in collapsed core deployments, though typically limited to two devices.

Advantages of Core Switch Clos

High performance and low latency due to multiple parallel paths. Predictable bandwidth and nonblocking connectivity. Easy horizontal scaling by adding spine or leaf switches.

Support for modern protocols and SDN for centralized control and automation. Comparison with Traditional Core ArchitecturesUnlike traditional three-tier or collapsed core designs, Clos architecture separates core (spine) and access (leaf) functions, avoiding the limitations of combining core and distribution layers in a single device. This results in better scalability, resiliency, and simplified traffic engineering.

In summary, a Core Switch Clos network leverages spine switches as the backbone to interconnect leaf switches, providing a scalable, high-performance, and resilient network fabric suitable for modern data centers and enterprise campuses.

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Article Content

Understanding CLOS Networks in Data Centers

Instead of scaling up with expensive, chassis-based switches, CLOS networks scale out using smaller, standardized switch units. This often results in better economics, especially when

Leaf-Spine Architecture Explained for Modern Data Centers

The leaf-spine architecture is a direct application of the Clos network — a multistage switching topology first described by Bell Labs engineer Charles Clos in 1953 for telephone switching

Deep Dive into CLOS Architecture: Understanding Leaf

This article introduces the evolution of the CLOS architecture, explains why CLOS is used, and discusses how Asterfusion''s enterprise SONiC

Clos network

It was invented by Edson Erwin in 1938 and first formalized by the American engineer Charles Clos in 1952. By adding stages, a Clos network reduces the number of crosspoints required to

Campus Fabric IP Clos Architecture Guide

All the core, distribution, and access devices must be connected to each other using a Layer 3 infrastructure. Juniper recommends deploying a Clos-based IP fabric to ensure predictable

IP Clos Fabric for a Campus Network

All the core and distribution devices must be connected to each other using a Layer 3 infrastructure. We recommend deploying a Clos-based IP fabric with a spine-leaf-based topology to ensure predictable

Connectivity Design | Validated Solution Guide

In a Two-Tier architecture, each ToR access switch is connected to both core switches using MC-LAG to provide link load-balancing and fault tolerance. Redundant top-of-rack pairs using

Spine-Leaf Network Architecture

Clos networks are named after Charles Clos, a researcher in Bell Labs. He proposed the model in 1952, as a method to overcome the performance and cost challenges of the

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Core Switch vs. Distribution Switch vs. Access Switch

Comprehensive guide to Core, Distribution, and Access Switches. Roles in the network and important parameters explained.

Core Switch

Core switches are defined as high-capacity switches located at the top of a cloud data center network, connecting aggregation switches and providing interfaces to wide area networks (WANs). They are

Understanding CLOS Networks in Data Centers

The modular nature of CLOS networks allows for easier adoption of new technologies. Leaf or spine switches can be upgraded independently, allowing for phased introductions of higher

Are you guys managing core switch with MIST? : r/Juniper

I know several companies that are using Mist for their core switches. It makes things easier and it''s particularly great if you want to do something like a EVPN-VXLAN multihoming fabric in the core.

clos_networks

Clos network is a multistage switching network. Figure 1 shows an example of a 3-stage clos network. The advantage of such network is that connection between a large number of input and output ports

DESIGN CONSIDERATIONS FOR SPINE-AND-LEAF IP FABRICS

EXECUTIVE SUMMARY The three-stage Clos fabric, invented in the 1950s for use in telephone switching networks, has been widely adopted in data center fabrics because of its simplicity, its ability

Datacenter

Conclusion: A New Foundation In traditional networks: • We interconnect core and distribution switches to patch over limitations in design. In Clos: • We design the topology to make

Layer 1 Data Center Cheat Sheet | Knowledge Base

Typically referred to as a Spine switch in a Spine-Leaf or Clos topology. Super-Spine - Sometimes referred to as a spine aggregation switch, end-of-row switch or data center core switch.

AI "Vibe Coding" Threatens Open Source as

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Stefan Prodan, core maintainer of Flux CD, summarized the mismatch: AI slop is DDOSing OSS maintainers, and the platforms hosting OSS

How to set up the Razer Core X Chroma

For Mac OS: The Razer Core X Chroma requires macOS High Sierra 10.13.4 (or higher) with Thunderbolt 3. For more information on keeping your Mac up to date, check the macOS User

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://dolphinspreschool.co.za
Technical inquiry: https://dolphinspreschool.co.za/project-desk.html
African project coordination: Waterfall City, Midrand, Gauteng, South Africa

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved