E200 Fiber Optic Connector



Overview

The E-2000® connector, invented by DIAMOND, delivers unmatched reliability and precision in fiber-optic interconnects - making it the ideal choice for critical transmission points across telecom, industrial, medical, and more applications. The E-2000® connector family sets the benchmark for. Corning offers a full line of factory- and field-installable adapters in a variety of mounting configurations to ensure compatibility with the housing, panel, outlet or faceplate being utilized. Supporting a variety of connector types, the adapters are ideal for cable assembly house and. The E-2000™ Connector offers a spring-loaded shutter mechanism that protects the ferrule end-face from scratches and dust while locking out potentially eye damaging laser radiation. Variants: E-2000 /PC and E-2000 /APC. E2000 is a trademark of Diamond company and E2000 series include a wide range of different styles.

Article Content

E-2000® Connector | High-Performance Fiber Optics

The E-2000® connector, invented by DIAMOND, delivers unmatched reliability and precision in fiber-optic interconnects - making it the ideal choice for critical

Fibre Optic Adapters Single-mode (OS2), green, flanged

Supporting a variety of connector types, the adapters are ideal for cable assembly house and manufacturing environments and local area networks (LANs) at the workstation outlet.

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

E-2000 Connector

The E-2000™ Connector offers a spring-loaded shutter mechanism that protects the ferrule end-face from scratches and dust while locking out potentially eye damaging laser radiation.

E-2000® connector | optical fiber plug connector

The E-2000 is an optical fiber plug connector with push-pull locking mechanism and a self-closing dust protection flap. The connector is available for both singlemode and multimode applications.

E2000 Fiber Optic Connector : sFiberOptic

The E-2000 Connector Series is one of the few fiber optic connectors featuring a spring-loaded shutter which fully protects the ferrule from dust and scratches.

ADP-E200-CCGFL-SPS | Fiber Optic Adapters Single-mode (OS2),

Supporting a variety of connector types, the adapters are ideal for cable assembly house and manufacturing environments and local area networks (LANs) at the workstation outlet.

3M Expanded Beam Optical Solutions

Easy-to-order 3M EBO connector kits contain components that specifically support 3M™ Expanded Beam Optical Ferrule technology. Kits are available for single mode and multimode connectivity, in

Fiber Optic Connectors | Products | Amphenol

AFSI''s line of 109 series hermaphroditic connectors offers the ultimate in flexibility and is a direct replacement for the TAC4. The 109 connector line meets or

E-2000® Connector | High-Performance Fiber Optics

The E-2000® connector by DIAMOND - inventor of this reliable, high-performance fiber optic solution - offers low insertion loss and multiple interface options for

E2000 Connectors

E2000 Connectors E2000 Connectors is a detachable (movable) connection device between optical fiber and optical fiber, which connects the two end faces of the optical fiber in a precise manner to

Fiber Optic Connectors, Termini, Cable Assemblies,

Military Fiber Optics: Rugged, High-Bandwidth Military Defense and Aerospace-Grade Fiber Optic Connectors, Termini, Toolkits, Cable Assemblies, and

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

E2000 Fiber Optic Connector : sFiberOptic

E2000 Fiber Optic Connectors Ferrule Stable parameter performance The E2000 fiber optic connector meets the working environment of -40-85 °C, with an

E2000 Apc Fiber Optic Connector, E2000 Fiber, E2000

PHXFIBER provides different modes of e2000 fiber connector. The e2000 fiber optic connector price is reasonable and attractable. E2000 optical connector can

E-2000® Connector | PC & HRL/APC

The E-2000 is an optical fibre plug connector with push-pull locking mechanism and a self-closing dust protection flap. The connector is available for both singlemode and multimode applications.

E-2000 PS Diamond connectors and adapters

the E-2000 PS System is designed for high power applications up to 3 Watts optical power developed to support the continuous rise of higher bit rates and longer

E-2000® UniBody

High-quality E-2000 unibody indoor optical fiber connector for reliable data transmission and connectivity.

E-2000 Connector

E-2000 Connector The E-2000™ Connector offers a spring-loaded shutter mechanism that protects the ferrule end-face from scratches and dust while

Optical connector

The unparalleled mechanical and optical interface of the E-2000® connector family makes it an ideal choice for many applications. Diamond''s two-component ferrule includes, a zirconium

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Contact Us

Continue your research online:

Website: https://dolphinspreschool.co.za
Technical inquiry: https://dolphinspreschool.co.za/project-desk.html
African project coordination: Waterfall City, Midrand, Gauteng, South Africa

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved