Explosion-proof Class III distribution box markings



Overview

They tell you: EU compliance (CE), the ATEX notified body (four-digit number), the specific Ex mark, the equipment group & category (e. The equipment Group I is subdivided into the Categories M1 and M2: The equipment in this category is intended for use in both underground parts of mines and those parts of surface installations of such mines that are endangered by firedamp and/or combustible dust. The equipment shall continue to. means: Not possible to use. Notified Body (NB) that has tested and certified the product (Cat. Certification Body (CB) that has tested. To identify and sell explosion-proof goods, the manufacturer must determine the marking of explosion-proof goods based on the technical requirements of the buyer when completing the application for ATEX certification. Important notes For Ex Equipment intended to be put on the market in the EEA, CE. Equipment markings are the "DNA" of hazardous location equipment - they tell you everything you need to know about where and how the equipment can be safely used. surface temperatureDesignation according to the EPL (Equipment Protection Level) standard, which integrates the ATEX Directive with IEC standards for the designation of zones and categories for Ex equipment.

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Article Content

ATEX chart

The constructional explosion-protection measures ensure the required degree of safety during normal operation, even under severe operating conditions and, in particular, in cases of rough handling and

Marking of electrical explosion protected equipment (ATEX/IECEx)

Notified Body (NB) that has tested and certified the product (Cat. 1 and 2). Certification Body (CB) that has tested and certified the product (EPL a, b and c). ATEX is in the European Union a mandatory

ATEX marking structure

To identify and sell explosion-proof goods, the manufacturer must determine the marking of explosion-proof goods based on the technical requirements of the

Ex Equipment Markings Decoded: Understanding Certification Labels

Complete guide to understanding Ex equipment markings and certification labels. Learn to decode ATEX, IECEx, and North American hazardous location equipment markings.

Marking of explosion-proof equipment Marking of explosion-proof eq

* Explosion-proof device cable entries, explosion- proof plugs and explosion- proof threaded adapters do not need to be marked with the temperature class or maximum surface tempera-ture in °C.

UNDERSTANDING EX MARKINGS

When selecting a device for use in a particular explosive atmosphere, we must compare its temperature class with the temperature class of the gas and/or vapour that can form an explosive atmosphere in

ATEX markings explained | CE and Ex marking

Learn how to read ATEX and Ex markings on explosion-safe equipment. Understand CE marking requirements under Directive 2014/34/EU.

ATEX marking: how to select Ex equipment

The problem of understanding Ex markings on explosion-proof equipment is huge. This is evidenced not only by daily interactions with customers, but also by the

Ex EXPLAINED Ex EQUIPMENT MARKING

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

''CE'' marking is used within the European Union to identify products that comply with all relevant EU Directives, with the aim of promoting free trade and regulating safety.

Explosion-Proof Electrical Equipment and ATEX Zones

Understanding ATEX and explosion-proof markings is essential for selecting safe equipment in environments with explosive risks. From gas groups to temperature

ATEX and IECEx classifications and markings

Likewise, the marking systems for ATEX and IECEx are very similar, and the two markings are often combined. Below, we break down a typical ATEX/IECEx

ATEX Markings Explained.cdr

ATEX/IECEx Markings Explained To comply with ATEX/IECEx regulations, all equipment and protective systems that are used in hazardous areas must be marked legibly and indelibly with a specific set of

Power Distribution Systems | Explosion Protected | R. STAHL

Evolution in Power Distribution For decades, the only explosion protection technology available in North America was the cast metal enclosure systems designed for Class I, Division 1 environments, also

Ultech-IECEx-ATEX-hazardous-area-guide

Mines with methane and dust. Equipment is de-energised in explosive atmosphere Explosive atmosphere present continuously or for long periods, frequently Explosive atmosphere is likely to

ATEX chart

Global Reference Guide on the Marking of Electrical Equipment for Use in Explosive Atmospheres (ATEX (EU) / IECEx / UKCA) Typical marking of electrical equipment for use in explosive gas

Explosion-Proof Distribution Box BX53-II | Product Center

BX53-II Explosion-Proof Distribution Box ensures controlled power distribution in high-risk environments, preventing ignition hazards.

Explosion Protection Poster

Explosion protection by R. STAHL is always state of the art – and guarantees the safety of people, machines and the environment in hazardous areas all over the world.

Explosion-Proof Marking Explained: How to Read Ex

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Understand the meaning of explosion-proof markings on Ex-certified equipment, including Ex type, gas/dust group and temperature class.

Contact Us

Continue your research online:

Website: https://dolphinspreschool.co.za
Technical inquiry: https://dolphinspreschool.co.za/project-desk.html
African project coordination: Waterfall City, Midrand, Gauteng, South Africa

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved