How to virtualize a dual-core switch



Overview

In this tutorial, we'll walk through the prerequisites, necessary commands, and troubleshooting tips to ensure a smooth and successful VSS implementation. The Cisco Virtual Switching System is a pioneering technology that effectively turns two physical switches into one logical. Cisco switches offer some technologies to convert two or more physical switches into a single logical switch, it will look like this: A1 and A2 are two physical switches but they are combined into a single logical switch. The distribution layer switches think that they are connected to one access. If a dual-rate optic is used as SVL and/or DAD link, it automatically links up to the highest speed supported by the dual-rate optic (example, 10/25G dual optic will link up at 25G, and 40/100G dual optic will link up at 100G), and lower speeds cannot be configured on the SVL and/or DAD links. The two switches operate as one; they share the same configuration and forwarding state. It will enable the StackWise. This article shows you how to create and configure your virtual switch using Hyper-V Manager or PowerShell. When you first install the Hyper-V role on Windows Server, you can optionally create a. Open vSwitch is a production quality, multilayer virtual switch licensed under the open source Apache 2.

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Article Content

High Availability Configuration Guide, Cisco IOS XE

The virtualization of multiple physical switches into a single logical switch is only from a control and management perspective. Because of the

Cisco Catalyst 9000 Platform StackWise Virtual White Paper

After the two individual switches are converted into a StackWise Virtual domain, console access to the active or standby switch will log in to the single StackWise Virtual switch, from where you can handle

How to configure StackWise Virtual for Cisco Catalyst 9500s

Stackwise Virtual is a Cisco virtualization technology that allows for two Catalyst 9500 switches to virtually form a single switch, not unlike VSS with other Catalyst platforms. This reduces the spanning

Create and configure a virtual switch with Hyper-V

Learn how to create and configure a virtual switch for use by the Hyper-V host and guest virtual machines.

Production Quality, Multilayer Open Virtual Switch

Open vSwitch can operate both as a soft switch running within the hypervisor, and as the control stack for switching silicon. It has been ported to multiple virtualization platforms and switching chipsets.

How to Configure VSS on Cisco Switches: A Step-by-Step Tutorial

In this tutorial, we''ll walk through the prerequisites, necessary commands, and troubleshooting tips to ensure a smooth and successful VSS implementation. The Cisco Virtual

Virtual Chassis Overview for Switches

Many Juniper Networks EX Series and QFX Series switches support Virtual Chassis, a flexible and scalable technology with which you can connect individual switches together to form one unit, and

How to Configure VSS on Cisco Catalyst Switches

VSS, or Virtual Switching System, allows two or more physical switches to appear as a single logical switch to the rest of the network. This configuration enhances redundancy and provides

| Cisco Catalyst

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Cisco''s StackWise Virtual (SV) technology addresses these critical needs by allowing you to stack two physical switches into a single logical entity. Let''s delve into the reasons why configuring

VIRTUALIZATION BEST PRACTICES BEST PRACTICES

REAL-WORLD EXPERIENCES OFFER INSIGHTS Virtualization has become so widespread that clear best practices have emerged.

What would happen if i run 3-4 virtual machines on a dualcore cpu?

Try it. They don''t need a dedicated CPU, otherwise single core machines could not run even one virtual machine. But it heavily depends on what the machines are doing. Of course you will run into

Dual Core Design

Need clarification on dual core switch design. Should be a pretty easy question, but the dual core design is just 2 core routers instead of one. Is this what they mean by dual core design?

Configuring Cisco StackWise Virtual

If the original Cisco StackWise Virtual active switch is still operational, both the switches will now be Cisco StackWise Virtual active switches. This situation is called a dual-active scenario.

Multicore Processing: Virtualization and Data Center

tion of the cores are set aside in hot standby mode. While such a scheme will save the cost of having to develop a standby board or at the very least another SoC, it would require the SoC to be able to

guides to deploy full virtualization KVM technology on ARMv7, ARMv8 ...

A guide to experience KVM virtualization on Arndale, know how to virtualize Exynos-5250 based devices, such as the Arndale development board. Cortex-A15/A7 devices (big.LITTLE architectures)

How To Add A Virtual Network Switch In VirtualBox

Learn how to add a virtual network switch in VirtualBox to optimize your networking setup for seamless connectivity and enhanced performance.

High Availability Configuration Guide, Cisco IOS XE Fuji 16.9.x ...

The two switches periodically exchange special dual-active hello messages containing information about the switch state. If all SVLs fail and a dual-active scenario occurs, each switch recognizes that there

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

How Do You Configure A Cisco Switch On VMware Workstation

Learn how to configure a Cisco switch on VMware Workstation with this step-by-step guide. Get expert tips and optimize your networking setup today!

Contact Us

Continue your research online:

Website: https://dolphinspreschool.co.za
Technical inquiry: https://dolphinspreschool.co.za/project-desk.html
African project coordination: Waterfall City, Midrand, Gauteng, South Africa

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved