Huawei Access Switch Security Configuration ACL



Overview

In this lesson, we will show Basic Access Lists (Basic ACLs) and Advanced Access Lists (Advanced ACLs) with specific examples. You can also check Huawei Configuration Course for Hands on Experience on. This document describes the configurations of Security, including ACL, local attack defense, MFF, attack defense, traffic suppression and storm control, ARP security, Port security, DHCP snooping, ND snooping, PPPoE+, IPSG, SAVI, URPF, keychain, MPAC, separating the management plane from the. Access Control Lists (ACLs) filter packets based on an ordered set of rules that define the packet filtering conditions, such as the source address, destination address, and port number of packets. An ACL is a packet filter, while ACL rules are the filter elements. You can add security group rules as required and use network ACL s as an additional layer of. An Access Control List (ACL) is a set of rules that classify packets to filter them. First of all, let's remember the Access List types.

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Article Content

Configuring an Advanced ACL

To allow the ICMP packets from a host that are destined for a network segment to pass, configure a rule in an ACL.

01-02 ACL CONFIGURATION

To achieve this, on Interface 1 of the switch, apply an ACL on the inbound direction so that the packets from the R&D department to the finance server are denied on the interface. On Interface 2, apply no

Network ACL Configuration Examples_Network ACL_Access

You can add security group rules as required and use network ACL s as an additional layer of protection for your subnets. The following provides some examples on how network ACL s

Access Control List example (Huawei)

A rule is identified by a rule ID, which can be set by a user or automatically generated based on the ACL step. All rules in an ACL are arranged in ascending order of rule IDs.

How to configure Access Control List (ACL) on Huawei

□□ Welcome to our Huawei Networking Tutorial Series! □□ Enhance your network security with Access Control Lists (ACL) on Huawei switches!□□ In this tutorial, you''ll learn how to configure ...

Huawei Access-Lists | Huawei ACL Configurations ⋆

In this Huawei HCIA configuration example, we will learn Huawei Access List (ACL) Configuration on Huawei Routers. Configuring Access Lists has some basic

Access Control List (Huawei) — Grokipedia

Role in Huawei Networking Devices In Huawei networking devices, such as routers (e.g., NetEngine series) and switches (e.g., S series), Access Control Lists (ACLs) function as a core security and

Example Configuration: Guest Access with Huawei WLC/Switch

The goal is to provide secure and role-based access control for Guest Access using ACLs on Huawei WLC/Switch through Ivanti Policy Secure. Configuring Ivanti Policy Secure

ACL Configuration on Huawei Router using IP and Source Pool

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Here are the step by step configuration of implementing Access-Lists or ACL on Huawei routers such as NetEngine Series Routers utilizing the ip-pool and source-pool for simplicity and convenience.

Huawei router access control list ACL configuration example

Standard type: Use standard ACL to control VLAN access When the ACL applied to the VLAN is in the out direction, its destination address is the address in this VLAN When the ACL applied to the VLA...

The Network DNA: Networking, Cloud, and Security

Master networking, cloud, and security with in-depth analysis, tutorials, and research. Stay ahead of the curve with our expert tech blog.

Typical ACL Configuration

This document provides typical configuration examples for campus networks and individual features on Huawei switches.

How to Configure SSH on Cisco Switch: Complete Step

Use ACLs: Restrict SSH access to trusted management subnets or jump hosts. Update Firmware: Maintain the latest IOS/IOS XE versions to benefit

Example for Using Advanced ACLs to Implement Unidirectional Access ...

Configuration Roadmap Configure an advanced ACL and ACL-based traffic classifier to restrict ICMP and TCP services so that unidirectional access from the president''s office to the employee''s office

Configuring a Basic ACL

This document describes the configurations of Security, including ACL, local attack defense, MFF, attack defense, traffic suppression and storm control, ARP security, Port security, DHCP snooping, ND

Macworld

Macworld is your ultimate guide to Apple''s product universe, explaining what''s new, what''s best and how to make the most out of the products you love.

Network ACL Configuration Examples_Network ACL_Access

You can use network ACL s to control the traffic in and out of subnets. When both security groups and network ACL s are configured, traffic matches network ACL rules first and then

01-02 ACL CONFIGURATION

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Table 2-11 Default ACL actions and mechanisms of different service modules Default ACL Actions and Mechanis ms STeln et SFTP SNMP Traffic Policy Simplifie d Traffic Policy Local Attack Defense

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://dolphinspreschool.co.za
Technical inquiry: https://dolphinspreschool.co.za/project-desk.html
African project coordination: Waterfall City, Midrand, Gauteng, South Africa

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved