
Huawei Optical Module 1310 Specifications



Overview

Huawei OGSC10DD0 eSFP single-mode optical module, 1. 25Gb/s data rate, 10km transmission, 1310nm wavelength, RoHS compliant with 1-year warranty. If an SFP-10G-ER-1310 optical module is connected to a 10GBase-ER optical module (1550 nm, 10GE, 40 km), the maximum transmission distance is only 20 km due to different specifications such as the wavelength and receiver sensitivity. to 10km with Standard Compatibility. A cost-effective solution that provides high bandwidth and tra x/Rx Wavelength: 1310 nm. This module can only be used on a switch running V200R010C00 or a later. SFP-10G-ER-1310 (02311RLX) Huawei compatible SFP+ module Huawei SFP+ 10G Duplex 40 km Huaweicompatible SFP-10G-ER-1310- Key Features Compatibility:Huawei Media Type:Single-Mode Fiber (SMF) Fiber Count:Duplex Connector:Double LC/UPC Maximum Distance:40 km Guaranteed Link Budget:15 dB Tx. High quality Original HUAWEI 10G-1310nm-10km-SM-SFP+ from China, China's leading product market Huawei Optical Transceiver product, with strict quality control Huawei Optical Transceiver factories, producing high quality Huawei Optical Transceiver Products. Besides, DDM (digital diagnostics monitoring) function.

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Article Content

SFP-10G-ER-1310

If an SFP-10G-ER-1310 optical module is connected to a 10GBase-ER optical module (1550 nm, 10GE, 40 km), the maximum transmission distance is only 20 km due to different specifications such as the

Huawei SFP-10G-LR Datasheet Overview

Quick Specs ... Product Details Huawei SFP-10G-LR provides these features: x/Rx Wavelength: 1310 nm. / 1310 nm. Media Type: Single-Mode iber (SMF) Optical Budget: 6 dB Max. Distance: 10 km

Huawei 10G SFP+ Optical Module 1310nm 10km Single Mode

The Huawei 10G SFP+ Optical Module is designed for high-speed and reliable fiber connectivity in professional networking environments. This SFP+ transceiver supports 10Gbps data transmission

Huawei 02311RLX Datasheet

If the SFP-10G-ER-1310 is connected to a 10Gbase-ER standard optical module (1550nm, 10GE, 40km), the maximum transmission distance is only 20km due to different specifications such as wavelength

SFP-10G-ER-1310

Huawei compatible SFP-10G-ER-1310 (02311RLX) is SFP+ (Small Form factor Pluggable) Transceiver, operating over Double Fiber Single-Mode Fiber (SMF) optical cable.

Original HUAWEI 10G-1310nm-10km-SM-SFP+

High quality Original HUAWEI 10G-1310nm-10km-SM-SFP+ from China, China''s leading product market Huawei Optical Transceiver product, with strict quality

Huawei OSX010000 Datasheet

Huawei OSX010000 Compatible 10GBASE-LR SFP+ Optical Transceiver Module (SMF, 1310nm, 10km, LC, DOM) Product Specifications ... Contact Us: Email: sales@compufox (305) 865-8517 +1

Huawei OSX010N13 Compatible 10GBASE-LR SFP+ 1310nm 10km

Huawei OSX010N13 Compatible 10GBASE-LR SFP+ Transceiver Module (SMF, 1310nm, 10km, LC, DOM) The Huawei OSX010N13 compatible SFP+ optical transceiver is equipped with an LC duplex

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Huawei OGSC10DD0 eSFP Optical Module 1310nm

Huawei OGSC10DD0 eSFP single-mode optical module, 1.25Gb/s data rate, 10km transmission, 1310nm wavelength, RoHS compliant with 1-year warranty.

Huawei SFP-10G-LR Compatible

Optcore''s OSP10G-3110DCR-HW is a high performance and cost-effective SFP+ transceiver module supporting data-rate of 10.3125Gbps (10GBASE-LR) or 9.953Gbps (10GBASE-LW) over single mode

Huawei EA5801-GP08 OLT Optical Line Terminal with 8 GPON Ports

Huawei EA5801-GP08 OLT Carrier AC/DC Power Supply The Huawei EA5801E-GP08-H2 is a compact, low-density box-shaped Optical Line Terminal (OLT) designed for passive optical LAN (POL) and

Optical Modules in General-Purpose Computing Scenarios

Huawei offers a comprehensive portfolio of pluggable StarryLink optical modules for data center networks, with various models providing flexible plug-and-play solutions tailored to diverse interface

GPHF 16 Port GPON service board SFP C+ SFP C

GPHF Service Board is 16-port GPON OLT interface board with C+/ C++ SFP module for MA5800 series GPHF Service Board is a 16-port GPON interface

Multimode 10G SFP+ Transceiver Module 02310QBJ 02310QDT

Multimode 10G SFP+ Transceiver Module Huawei SFP-10G-BXD1 02310QBJ 02310QDT 10GBASE-BX SFP+ Transceiver Module This 10G BiDi SFP+ transceiver supports up to 10km link lengths over

Technical Specifications

Technical Specifications The original CPU models Kunpeng 920 6426/4826/3226 have been changed to Kunpeng 920 7260/5250/5230. Kunpeng 920 5230 has reached the end of marketing (EOM).

Huawei Switches Viewing Optical Port Receiving and Sending

Use the command display transceiver to view the optical module information of all optical ports, and use the command display transceiver interface interface-type interface-number to view the

ESFP-GE-SX-MM850 Huawei SFP Optical Transeiver Multimode Module ...

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

ESFP-GE-SX-MM850 Huawei SFP Optical Transceiver Multimode Module 02315204 Genuine Huawei eSFP-GE-SX-MM850 Optical Transceiver, eSFP, GE, Multi-mode Module (850nm, 0.55km, LC)

1.25 Gbit/s SFP/eSFP Optical Module

You can use different levels of 1.25 Gbit/s SFP/eSFP optical modules with GE interfaces and 10 GE interfaces. The wavelength of common 1.25 Gbit/s SFP/eSFP optical modules can be 850

Contact Us

Continue your research online:

Website: https://dolphinspreschool.co.za
Technical inquiry: https://dolphinspreschool.co.za/project-desk.html
African project coordination: Waterfall City, Midrand, Gauteng, South Africa

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved