Non-metallic optical cable code



Overview

Technical documentation on DIN VDE 0888-3 type codes for optical fiber cables. Includes abbreviations, designations, and explanations.

Article Content

Type Designation Codes

There are different types of designation codes: The designation codes according to national standards with different different labeling schemes in each country and

TYPE CODES FOR FIBER OPTIC CABLES ACC TO DIN VDE

We use the limited abbreviations in the below summary which are typical ones in today''s world fiber optic cable market but they are not limited with above indicated ones

DIN VDE 0888-3 Optical Fiber Cable Type Codes

Technical documentation on DIN VDE 0888-3 type codes for optical fiber cables. Includes abbreviations, designations, and explanations.

TYPE DESIGNATION CODE FOR CABLES

C4 ..... Copper braided screen H ..... Flat, divisible cords H2 ..... Flat, non divisible cords H6 ..... Flat, non divisible cords for elevators H8 ..... Helical cord

28 Selection_of_the_Correct_Optical_Cable

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

This Cable Jacket Selection Note is intended to provide the reader with an organized selection methodology when selecting the optimum optical cable for a specific application.

Fiber optic cable code

To clearly summarise the many characteristics of a cable, a special cable code is used. The German preliminary standard DIN VDE V 0888-100-1-1:2017-10 defines the cable code as a sequence of

National Electrical Code Tips: Article 770, Optical Fiber Cables and ...

If you install unlisted outside plant optical fiber cables in building spaces and those cables are nonconductive, you must install them in one of four specific types of raceway.

13-SDMS-04 REV. 00 SPECIFICATIONS FOR NON-METALLIC,

The non-metallic fiber optic cable (pullingt type & “mini cable” blown type) shall consist of a central fiber optic unit protected by one or more layers of helically wound anti-hygroscopic tape or yarn.

DIN VDE 0888 Cable Designation Guide | PDF | Optical

It provides explanations of abbreviations used to designate different cable construction features, including the cable type (indoor, outdoor, etc.), core type

Non-Metallic Duct Optical Fiber Cable

Cross Section of Non-Metallic Duct Optical Fiber Cable Key Specifications for Non-Metallic Duct Cable For Detailed Specifications, consult Technical Advisor of

13-SDMS-04 REV. 00 SPECIFICATIONS FOR NON-METALLIC,

Objectives The aim of this document is to provide generic information on design & construction of Non-Metallic Fiber Optic Cable (duct type & “mini cable” blown type) with loose tube, to be used for

Fiber Optic Cable Standards | PDF | Optical Fiber

The document is a specification for non-metallic fiber optic cables intended for use in pilot wire protection schemes and telecommunications. It specifies requirements

The Apprentice''s Guide to Non-Metallic Sheathed Cable

Non-metallic (NM) sheathed cable is one of the essential wiring methods found in Chapter 3 of the National Electrical Code (NEC) — see Art. 334. NM cable is

UL 1651 | UL Standards & Engagement | UL Red Line

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

1.5 These requirements do not cover cables that contain current-carrying conductors. Requirements for cables that contain electrical and optical fiber members are found in the applicable standard for the

National Electrical Code Tips: Article 770, Optical Fiber Cables and ...

NEC information; expand your knowledge of the National Electrical Code with our free series of NEC 10 Tips, each covering an aspect of the Code. This article explains Article 770, Fire Alarm Systems;

OFNP, OFNR, OFNG, OFCG and OFCP: How to

OFCR OFCR stands for fiber optic conductive riser. A factory assembly of one or more optical fibers having an overall covering and containing

(A) Non-Current-Carrying Metallic Members of Optical Fiber Cables

Non-current-carrying metallic components of optical fiber cables that either enter a building or terminate outside must adhere to specific regulations outlined in sections 770.93 (A) or (B). Compliance with

Unlisted Cable entering a building | Information by Electrical ...

For non-metallic cable (fiber optics with no metallic components such as armor), I can use RMC, IMC, EMT, and PVC. If this practice is acceptable to the AHJ, I''m thinking I''m OK.

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Contact Us

Continue your research online:

Website: https://dolphinspreschool.co.za
Technical inquiry: https://dolphinspreschool.co.za/project-desk.html
African project coordination: Waterfall City, Midrand, Gauteng, South Africa

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved