Rack-mounted beam splitter dimensions



Overview

Thorlabs · Optical BeamsplittersThorlabs offers a wide range of optical beamsplitters. Our plate beamsplitters have a coated front surface that determines.

Key Takeaways

Rack-mounted beam splitters, such as PLC splitters, are typically designed for standard 19-inch racks and offer compact, high-reliability optical splitting for fiber networks. Physical Size and MountingRack-mounted beam splitters are generally designed to fit standard 19-inch communication cabinets, which is the industry standard for rack-mounted equipment. The height of these devices is usually 1U or 2U, where 1U equals 1.

75 inches (44. 45 mm). The depth varies depending on the manufacturer and the number of output channels, but they are designed to be compact for efficient cabinet installation.

The enclosure is often made of high-strength stainless steel to withstand environmental stress and pass salt spray tests. Technical SpecificationsRack-mounted beam splitters, particularly PLC (Planar Lightwave Circuit) splitters, have the following typical specifications: Splitting Ratio: Available in configurations like 1x2, 1x4, 1x8, 1x16, etc., with uniform channel-to-channel performance. Wavelength Range: 1260 nm to 1650 nm, suitable for most fiber-optic communication systems.

Insertion Loss: Low insertion loss to minimize signal degradation. Polarization Dependent Loss (PDL): Low PDL for consistent performance across polarizations. Operating Temperature: -40°C to 85°C, allowing deployment in varied environments.

Material Compliance: ROHS compliant, using 100% new raw materials.

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Optical Beam Splitter Types

For free-space optics, rack-mounted beam splitters may also include plate, cube, or pellicle types: Plate Beam Splitters: Coated front surface determines splitting ratio; back surface is wedged and AR coated to reduce ghosting. Cube Beam Splitters: Polarizing or non-polarizing, often premounted in cubes compatible with lens tube or cage systems. Pellicle Beam Splitters: Thin membranes that minimize beam offset and ghosting, ideal for high-precision optical setups.

ApplicationsRack-mounted beam splitters are widely used in: Fiber-optic networks: FTTx, PON, LAN, and CATV systems. Test and measurement equipment: Optical power distribution and monitoring. Laser systems and interferometry: Free-space optical splitting for experiments and instrumentation.

In summary, rack-mounted beam splitters combine compact 19-inch rack compatibility with precise optical performance, whether in fiber networks (PLC splitters) or free-space optical systems (plate, cube, or pellicle splitters), offering flexibility for both industrial and laboratory applications.

Article Content

Thorlabs · Optical Beamsplitters

Thorlabs offers a wide range of optical beamsplitters. Our plate beamsplitters have a coated front surface that determines the beam splitting ratio while the back

PLC Splitter, Fiber Splitters, Always Ready for PON & FTTX

FS PLC Fiber Optic Splitters, Bare/Blockless/ABS/LGX Splitter/Rack Mount Types, support 1xN light distribution, with low IL and PDL for high-reliability transmission. Deploying compact FS PLC Splitters

Diffractive beam splitter

A diffractive beam splitter can generate either a 1-dimensional beam array (1xN) or a 2-dimensional beam matrix (MxN), depending on the diffractive pattern on the element. The diffractive beam splitter

Optical Beamsplitters Explained | Cube & Polarizing Types

A beam splitter, or beamsplitter, is an optical component used to divide incident light into two separate beams based on wavelength, intensity, or polarization. Optical beam splitters are widely used in laser

UNARCO Interchangeable Pallet Rack Beam Profiles and Beam Sizes

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Complete Line of Pallet Rack Beam Options Whatever your Interchangeable pallet racking and warehouse storage needs, UNARCO has a beam to handle even the most demanding design loads.

Rack Mounted Type 1X8 Sc APC PLC Splitter

Product Description Planar light-wave circuit splitter (PLC Splitter) is a type of optical power management device that is fabricated using silica optical

Rack Mount Passive Optical Splitters

BNI''s single mode dual window 1310nm/1550nm passive optical splitters are manufactured using fused biconical taper process, resulting in a very reliable cost competitive devices. Choose from a wide

Beamsplitters

Beam splitters separate a beam of light by wavelength, power, or polarization into two orthogonal beams. The properties of the divided beams depend both on the beam splitter coating and on the

Beam Load Capacities Chart

Loading to be uniformly distributed over the length of the beam. Values shown reflect the capacity of the beams based on the lesser of its strength in bending, or L/180 deflection criteria. Load capacities are

Specification information about Pallet Rack Upright and Beam Dimensions

Specification information about Pallet Rack Upright and Beam Dimensions Storage pallet racking is a common storage device used to store and organize goods in a warehouse or industrial

Rack Mount PLC Splitters Types Prices & Specifications

Rack Mount PLC Splitters are designed for consistent performance, low optical Insertion loss, low polarization Dependent Loss, high reliability and stability,

Prism and Beamsplitter Mounts

Manually Steer a Beam to any Angle up to ±2 Times the Individual Prism Deviation Angle Optimized for Prisms with Wedge Angles Ranging from 0 to 26 Degrees Mount Can be Used with Either a Single

Beam Splitter Selection Guide

Our beam splitters are made from high grade glass material with laser grade surface flatness & surface quality for tighter tolerance on the splitting ratio.

Ficha_Splitters

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Bare fiber splitter is relatively fragile on fiber protection and need a complete protection design on carrying box body and device. The input and output fiber diameter is 250 um.

Rack Mounted PLC Optical Splitters | FTTX | CCS

The Connectix Rack Mounted PLC Optical Splitter range provides equipment rack panel solutions in 1:4, 1:8, 1:12, 1:16, 1:32, 1:64 and 2:4, 2:8, 2:12, 2:16, 2:32,

Optical Beam Splitters

Nonpolarizing beam splitters are often available in just 33 and 50% T/R ratios, but Keysight''s comprehensive selection offers eight different ratios, from 4 to 80%.

Optical Splitter | Fiber Splitter | Rack Type PLC Splitter

Optical splitter rack mount is using metal box packaging which can be installed in 19” frame or cabinet. Application for FTTX network, LAN/WAN or CATV network.

Mounted Variable Beamsplitters

This is accomplished by first rotating an incoming, linearly polarized beam using a half-wave plate in a rotation mount. The light is then split into its s- and p-polarized components by a polarizing

Contact Us

Continue your research online:

Website: https://dolphinspreschool.co.za
Technical inquiry: https://dolphinspreschool.co.za/project-desk.html
African project coordination: Waterfall City, Midrand, Gauteng, South Africa

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved