Resolving DHCP Conflicts in Access Layer Switches



Overview

Reboot everything (simple but powerful) Sometimes the best solution is the simplest. How to do it: Turn off all UniFi devices (Access Points, Switches, and Controller). Power. I'd like to know what steps are needed to configure DHCP snooping in my environment: 1) two core switches Catalyst 6500 (VSS): VLAN defined here, DHCP server connected here 2) access switches Catalyst 3750: clients connected here Access switches are connected to core ones via trunk ports (fiber. Table 10-20 describes common DHCP server faults. Solve the faults by referring to the provided solutions. Failed to. This rogue DHCP server starts handing out IPs (usually 192. This behavior is particularly common on. Click on the lower left corner of the computer: Start-Run, enter cmd in the dialog box, enter ipconfig /all in the cmd command line to determine the fault phenomenon. The VLAN assignment on the switch is. Exclude addresses from allocation Configure DHCP Pool Clear currently active leases Configure Manual Binding Configure DHCP Relay Note: Applied to either a Layer 3 or VLAN interface interface ip helper-address [. Cisco switches and routers include DHCP.

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Article Content

Troubleshooting Cases for DHCP Server

It is found that the DHCP server can receive DHCP request packets, but the switch does not forward the received DHCP reply packets to users. Check the DHCP queue status on the switch.

UniFi Switch Auto-DHCP Issue: Root Cause and Stable Solution

This rogue DHCP server starts handing out IPs (usually 192.168.1.x/24), causing address conflicts and user disconnections. Once the controller detects the conflict or loses communication,

S5860 Series Switches DHCP Troubleshooting | FS

The DHCP snooping uplink trust port setting is incorrect. The VLAN assignment on the switch is incorrect. The Layer 3 interface address is not configured in the DHCP server. The relay function is

How to Configure DHCP Server on Cisco Switches

This tutorial explains how to configure, test, and verify a DHCP server on a Cisco switch through a packet tracer example.

Troubleshooting DHCP Failures on Meraki MR Access

By systematically analyzing how each security layer impacts DHCP traffic, you can identify and resolve even the most complex security-related

Troubleshooting DHCP Pool Exhaustion

Isolate conflict domains: Layer 2 switch can treat each port as an independent conflict domain, thereby reducing collisions and retransmissions of data frames

Complete Guide to DHCP Snooping, How it Works,

This article covers popular Layer 2 & Layer 3 network attacks with a focus on DHCP Starvation Attacks, Man-in-the-Middle attacks, unintentional

How to Fix IP Conflicts After a UniFi Upgrade | UniHosted

Learn what causes IP conflicts in UniFi, why they appear after upgrades, and how to resolve them to keep your network stable and hassle-free.

IP Address Conflicts and How to Resolve Them

Enabling DHCP Snooping: Enable features like DHCP snooping on switches to prevent rogue DHCP servers from causing conflicts. Regular

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Troubleshooting DHCP Conflicts

The document addresses troubleshooting steps for resolving DHCP conflicts on Meraki MX devices, highlighting common issues like IP address overlap, lease exhaustion, and rogue DHCP servers,

What Is ARP (Address Resolution Protocol)? How Does

This is especially helpful for access-layer switches in user-facing areas. Enforce physical and wireless access controls: Restricting physical access to the

How to Detect and Fix IP Address Conflicts at Scale

Learn how to fix conflict IP address issues at scale. Verify conflicts, clean DHCP scopes, apply IPAM discipline, and automate remediation.

How to Troubleshoot DHCP Issues for Network Stability

To effectively troubleshoot DHCP issues on S3910 Series Switches, network administrators should systematically address client settings, network connections, device configurations, server

What Is IP Conflict Resolution?

Step 4: Restart Devices and Network Interfaces Resetting network adapters or rebooting DHCP servers can help clear stale or conflicting leases.

Fix IP Address Conflict: Step-by-Step Guide

How to Resolve an IP Address Conflict: Step-by-Step Guide to Fixing Network Conflicts An IP address conflict occurs when two or more devices on the same

What is DHCP and DHCP Spoofing Attack? The Essential Guide to ...

What is DHCP Snooping? DHCP snooping is a network security feature that operates at Layer 2 of the OSI model, specifically on network switches. It is designed to prevent unauthorized

Understanding DHCP''s Role in IP Conflict Resolution

However, when you''re setting up or managing a network, understanding DHCP''s role in both causing and resolving IP address conflicts is crucial.

Fix VLAN Misconfiguration: Step-by-Step Guide

Trunk Port Misconfiguration – VLAN traffic fails to pass between switches. Inter-VLAN Routing Issues – VLANs need Layer 3 routing to communicate.

Related Video Reference

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://dolphinspreschool.co.za
Technical inquiry: https://dolphinspreschool.co.za/project-desk.html
African project coordination: Waterfall City, Midrand, Gauteng, South Africa

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved