Simulating polarization-maintaining fiber using COMSOL



Overview

Our focus is on PANDA-type (Polarization-maintaining AND Absorption-reducing) fiber design that incorporates B 2 O 3 -doped silica stress rods. Utilizing the finite-element method (FEM) within the COMSOL Multiphysics software package, we conduct simulations to analyze the fiber's. In this study, we investigate the design parameters of a high-birefringence (Hi-Bi) polarization-maintaining (PM) fiber. Current manufacturing processes prohibit the construction of fibers with the required accuracy needed for applications requiring precision birefringence. We also learn about COMSOL's 'Parametric Sweep' technique to vary the bending radius over a range and study how the different values of bending radius affect the modes.

Article Content

Model and Simulation of a Tunable Birefringent Fiber

Through the use of COMSOL, this paper describes simulated results of fiber with a mutually orthogonal secondary set of capillary tubes filled with liquid ethanol.

Comparative Modelling and Design Aspects of PANDA PM fiber

Our focus is on PANDA-type (Polarization-maintaining AND Absorption-reducing) fiber design that incorporates B2O3-doped silica stress rods. Utilizing the finite-element method (FEM) within the

COMSOL ® Design Tool: Simulations of Optical Components Tutorial

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Parameter selection: Manuel (and also select one of the modes) Create Line Graph Dataset: from parent and select the line segment in the fiber geometry Expression: emw(ewfd).normE

Model and Simulation of a Tunable Birefringent Fiber Using

Abstract: Conventional polarization maintaining fiber is constructed using a pair of borosilicate rods on either side of the fiber core. Current manufacturing processes prohibit the construction of fibers with

(a) geometrical simulation build-up of PM-MZI using

In this study, a dynamic simulation model was developed using a multi-physics Comsol version (5.5), to evaluate the performance of a tunable narrow pulsed

Full-wave multiphysics simulation of optical fibers

To alleviate polarization rotation, a polarization-maintaining (PM) fiber was developed. In PM fibers, a large birefringence is intentionally introduced. In

Two-dimensional FEM Analysis of Brillouin Gain Spectra

We present a full modal-analysis of the guided optical and acoustic modes based on a two-dimensional finite-element method (2D-FEM) for BGS calculation using COMSOL Multiphysics.

Polarization-Maintaining Fiber

Polarization maintaining fiber is defined as a type of single-mode fiber that preserves the polarization state of light during propagation by introducing anisotropic stress in its core, minimizing cross

Analysis Of Linearly Polarized Modes

This paper presents a study on the propagation modes of electromagnetic waves through a step index fiber optics. To analyze the propagation of electromagnetic field, a simulation in Comsol 4.0 has been

Ultra-high birefringence elliptical cladding polarization-maintaining ...

1. Introduction High birefringence polarization-maintaining fibers (PMFs) are of widespread use thanks to their optical property of maintaining linear polarization along the birefringence axis over

Single Mode fiber simulation on COMSOL

In this video, we demonstrate a step-by-step simulation of Single Mode Optical Fiber using COMSOL Multiphysics. You''ll learn how to model the fiber structure, set up boundary conditions, select a ...

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Fiber Coupling to Polarization-Maintaining Fibers and Collimation

Polarization-maintaining single- mode fibers (PM fibers) are rotation-ally non-symmetric because of inte-grated stress elements, for example, that break the degeneracy of the two principle states of

How to Model Polarization Rotation Along a Waveguide

Learn how to model polarization rotation along a waveguide when modeling wave electromagnetics problems in COMSOL Multiphysics®.

Electrochemical Impedance Spectroscopy: Experiment,

We demonstrate 3 ways to analyze electrochemical impedance spectroscopy: an experiment, a COMSOL Multiphysics® model, and a simulation

Numerical simulation of in-fiber plasmonic polarization filter using ...

This work presents an in-fiber plasmonic polarization filter using silicon hollow-core anti-resonant fiber (HC-ARF) with dual aluminum (Al) wires. The mature finite element tool is employed to

Single Mode Fiber Simulation using COMSOL Multiphysics |SMF| COMSOL

SMF stands for Single-Mode fibre. It is a type of optical fibre that is designed to carry a single mode of light propagation.

COMSOL Multiphysics Application Library

Today, the silica glass (SiO2) fiber is forming the backbone of modern communication systems. Single-mode step-index fibers are used for long-haul communication, including transoceanic.

The design of polarization-maintaining and polarization-filtering ...

A polarization-maintaining and polarization-filtering hollow core fiber with nested anti-resonant nodeless tubes for the THz regime is proposed. The model is designed by the finite element

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved

Contact Us

Continue your research online:

Website: https://dolphinspreschool.co.za
Technical inquiry: https://dolphinspreschool.co.za/project-desk.html
African project coordination: Waterfall City, Midrand, Gauteng, South Africa

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 DOLPHIN FIBER SYSTEMS - All rights reserved